

FOREWORD	iii
HVAC DUCT CONSTRUCTION TASK FORCE	iv
NOTICE TO USERS OF THIS PUBLICATION	v
MODEL PROJECT SPECIFICATION	vii
LIST OF MAJOR CHANGES FROM THE SECOND EDITION	viii
TABLE OF CONTENTS	ix

CHAPTER 1	ENGINEERING AND DESIGN	Page
1.1	INTRODUCTION	1.1
1.2	INFORMATION REQUIRED FOR DUCT CONSTRUCTION	1.1
1.3	MODEL SPECIFICATIONS	1.1
1.4	DUCT SEALING	1.11
1.5	INTRODUCTION TO BASIC CONSTRUCTION	1.13
1.6	DEPENDENT VARIABLES	1.18
CHAPTER 2	RECTANGULAR DUCT CONSTRUCTION	
2.1	INTRODUCTION TO THE RECTANGULAR DUCT CONSTRUCTION SCHEDULES	2.1
2.2	RECTANGULAR DUCT REINFORCEMENT	2.4
2.3	LONGITUDINAL SEAMS FOR RECTANGULAR DUCT	2.11
2.4	TRANSVERSE JOINTS FOR RECTANGULAR DUCT	2.73
2.5	TIE ROD INSTALLATIONS	2.80
2.6	COMMENTARY	2.81
2.7	MIDPANEL TIE ROD APPLICATIONS	2.97
2.8	MIDPANEL TIE ROD (MPT) USE GUIDE	2.97
2.9	MIDPANEL TIE ROD SELECTIONS	2.98
2.10	COMMENTARY ON ALUMINUM DUCT	2.123
CHAPTER 3	ROUND, OVAL AND FLEXIBLE DUCT	
3.1	ROUND DUCT CONSTRUCTION STANDARDS	3.1
3.2	COMMENTARY	3.2
3.3	FLAT OVAL DUCT CONSTRUCTION STANDARDS	3.27
3.4	COMMENTARY	3.27
3.5	FLEXIBLE DUCT INSTALLATION STANDARDS	3.33
3.6	SPECIFICATION FOR JOINING AND ATTACHING FLEXIBLE DUCT	3.33
3.7	SPECIFICATION FOR SUPPORTING FLEXIBLE DUCT	3.33
3.8	COMMENTARY	3.39
CHAPTER 4	FITTINGS AND OTHER CONSTRUCTION	
4.1	REQUIREMENTS	4.1
CHAPTER 5	HANGERS AND SUPPORTS	
5.1	HANGING AND SUPPORTING SYSTEMS	5.1
5.2	COMMENTARY	5.1



CHAPTER 6	EXTERIOR COMPONENTS	Page
6.1	INTRODUCTION	6.1
6.2	ROOFTOP EQUIPMENT INSTALLATION	6.5
6.3	COMMENTARY	6.5
CHAPTER 7	ACCESSORIES	
7.1	VOLUME DAMPERS	7.5
7.2	NOTES FOR FIGURES 7-4 AND 7-5	7.5
7.3	COMMENTARY	7.5
7.4	INSTALLATION STANDARDS FOR RECTANGULAR DUCTS USING FLEXIBLE LINER	7.14
7.5	COMMENTARY	7.15
CHAPTER 8	DOUBLE-WALL DUCT CONSTRUCTION	
8.1	INSTALLATION STANDARDS COMMENTARY	8.1
CHAPTER 9	EQUIPMENT AND CASINGS	
9.1	CASING AND PLENUM CONSTRUCTION STANDARDS	9.1
9.2	COMMENTARY	9.24
9.3	CASING ARRANGEMENT	9.24
CHAPTER 10	SPECIALTY SYSTEMS	
10.1	HOODS	10.2
10.2	UNDERGROUND DUCT CONSTRUCTION STANDARDS	10.4
10.3	COMMENTARY	10.7
CHAPTER 11	FUNCTIONAL CRITERIA	
11.1	FUNCTIONAL CRITERIA FOR DUCTS	11.1
11.2	RECTANGULAR DUCTS	11.1
11.3	COMMENTARY	11.2
11.4	PROCEDURE FOR RATING DUCT CONSTRUCTION METHODS RELATIVE TO THE SMACNA CONSTRUCTION TABLES	11.8
11.5	NOTES ON SPECIMEN TESTING	11.9
11.6	SOUND AND VIBRATION	11.10
APPENDIX A		



TABLES

Page

1-1	Standard Duct Sealing Requirements	1.11
1-2	Pressure Classification for Ductwork	1.17
1-3	Static Pressure	1.18

Due to the large number of tables in Chapter 2 the list of tables has been placed immediately after the Chapter 2 title page.

3-1	Mitered Elbows	3.1
3-2	Angle Ring Size	3.6
3-2M	Angle Ring Size	3.7
3-3	Ring Attachment Schedule	3.6
3-3M	Ring Attachment Schedule	3.7
3-4	Companion Flange Joints Used As Reinforcement	3.6
3-4M	Companion Flange Joints Used As Reinforcement	3.7
3-5	Round Duct Gage Unreinforced Positive Pressure To 10 in. wg	3.8
3-5M	Round Duct Gage Unreinforced Positive Pressure To 10 in. wg	3.9
3-6	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.10
3-6M	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.11
3-7	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.12
3-7M	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.13
3-8	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.14
3-8M	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.15
3-9	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.16
3-9M	Min. Required Gage for Longitudinal Seam Duct Under Neg. Pressure	3.17
3-10	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.18
3-10M	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.18
3-11	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.20
3-11M	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.21
3-12	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.22
3-12M	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.23
3-13	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.24
3-13M	Min. Required Gage for Spiral Seam Duct Under Neg. Pressure	3.25
3-14	Aluminum Round Duct Gage Schedule	3.26
3-14M	Aluminum Round Duct Gage Schedule	3.26
3-15	Flat Oval Duct Gage Positive Pressure To 10 in. wg	3.28
3-15M	Flat Oval Duct Gage Positive Pressure To 10 in. wg	3.28
5-1	Rectangular Duct Hangers Minimum Size	5.7
5-1M	Rectangular Duct Hangers Minimum Size	5.8
5-2	Minimum Hanger Sizes for Round Duct	5.9
5-3	Allowable Loads in Pounds for Trapeze Bars	5.11
5-3M	Allowable Loads in Pounds for Trapeze Bars	5.12
5-4	Channel (Strut) Used as Trapeze	5.13
9-1	Alternate Casing Panels	9.6
9-1	Alternate Casing Panels (Continued)	9.7
9-2	Plenum and Casing Access Doors – 2 in. wg	9.22
9-2M	Plenum and Casing Access Doors – 500 Pa	9.22
'A'	Minimum Threshold Velocities at Various Internal Static Pressures	11.11
'B'	Relative Vibration of Various Ducts	11.15



FIGURES**Page**

1-1	Duct Pressure Classification	1.16
1-2	Dependent Variables	1.19
1-3	Symbols For HVAC Systems (I-P)	1.20
1-3M	Symbols For HVAC Systems (SI)	1.21

Due to the large number of figures in Chapter 2 the list of figures has been placed immediately after the Chapter 2 title page.

3-1	Round Duct Transverse Joints	3.3
3-1	Round Duct Transverse Joints (Continued)	3.4
3-2	Round Duct Longitudinal Seams	3.5
3-3	Round Duct Reinforcement	3.6
3-4	Round Duct Elbows	3.29
3-5	90° Tees And Laterals	3.30
3-6	Conical Tees	3.31
3-7	Flat Oval Ducts	3.32
3-8	Types Of Flexible Duct	3.35
3-9	Typical Accessories	3.36
3-10	Flexible Duct Supports	3.37
3-11	Flexible Duct Supports	3.38
4-1	Typical Supply Or Return Duct	4.2
4-2	Rectangular Elbows	4.3
4-2	Rectangular Elbows (Continued)	4.4
4-3	Vanes And Vane Runners	4.5
4-4	Vane Support In Elbows	4.6
4-5	Divided Flow Branches	4.7
4-6	Branch Connection	4.8
4-7	Offsets And Transitions	4.9
4-8	Obstructions	4.10
4-9	Construction Of Short Radius Vanes	4.13
5-1	Hanger Attachments To Structures	5.3
5-2	Upper Attachment Devices – Typical	5.4
5-3	Alternative Joist Attachments	5.5
5-4	Upper Attachments – Typical	5.6
5-5	Lower Hanger Attachments	5.10
5-6	Trapeze Load Diagram	5.14
5-7	Large Duct Support	5.15
5-8	Riser Supports – From Floor	5.16
5-8M	Riser Supports – From Floor	5.17
5-9	Supports From Wall	5.18
5-9M	Supports From Wall	5.19
5-10	Riser Support – From Floor	5.20
5-11	Typical HVAC Unit Suspension	5.21
6-1	Louvers And Screens	6.2
6-1M	Louvers And Screens	6.3
6-2	Louver Free Area Calculation	6.4
6-3	Rooftop Duct Installation	6.6
6-4	Equipment And Duct Support Flashing	6.7
6-5	Rectangular Gooseneck	6.8
6-6	Intake Or Exhaust Ventilators	6.9
6-7	Large Intake Or Exhaust Ventilators	6.10
7-1	Remote Heating And Cooling Coil Installations	7.1
7-2	Duct Access Doors And Panels	7.2
7-2M	Duct Access Doors And Panels	7.3
7-3	Access Doors – Round Duct	7.4
7-4	Volume Dampers – Single Blade Type	7.6
7-5	Multiblade Volume Dampers	7.7
7-6	Grille And Register Connections	7.8
7-7	Ceiling Diffuser Branch Ducts	7.9

7-8	Flexible Connections At Fan	7.10
7-9	Alternative Flex Connector Details	7.11
7-10	Typical HVAC Unit Connections	7.12
7-11	Flexible Duct Liner Installation	7.13
7-12	Liner Fasteners	7.17
7-13	Optional Hat Section	7.18
7-14	Duct Liner Interruption	7.19
8-1	Fire Damper Installation In Double-Wall Duct	8.2
8-2	Double-Wall Round Duct	8.3
8-3	Rectangular Double-Wall Duct	8.4
8-4	Flat Oval Double-Wall Duct	8.5
8-5	Double-Wall Duct Fitting	8.6
8-6	Double-Wall Duct Fitting	8.7
8-7	Double-Wall Duct Sleeve	8.8
8-8	Double-Wall Duct Joint	8.9
8-9	Double-Wall Duct Tie Rod Installation	8.10
8-10	Double-Wall Duct – Van Stone Joint	8.11
8-11	Double-Wall Duct – Dampers	8.12
8-12	Double-Wall Duct With Flange Connections	8.13
8-13	Double-Wall Duct – Flange Connection	8.14
8-14	Double-Wall Duct Details	8.15
8-15	Double-Wall Duct Access Doors	8.16
9-1	Built-Up Standing Seam Casing	9.2
9-1M	Built-Up Standing Seam Casing	9.3
9-2	Standing Seam Casings	9.4
9-3	Alternate Casing Construction	9.5
9-4	Over 2 in. wg Casing Arrangement	9.8
9-5	Over 2 in. wg Pressure Apparatus Casing	9.9
9-5M	Over 2 in. wg Pressure Apparatus Casing	9.10
9-6	Inside Seam Casing – 6 ft wg (1500 Pa) Max.	9.11
9-7	Double Wall Casing	9.12
9-8	Alternate Casing Construction Using TDC or TDF Flanges	9.13
9-9	Alternate Casing Construction Using TDC or TDF Flanges	9.14
9-10	Corner Closures (Using TDC or TDF)	9.15
9-11	Double Wall Casing Details	9.16
9-11M	Double Wall Casing Details	9.16
9-11	Double Wall Casing Details (Continued)	9.17
9-11M	Double Wall Casing Details (Continued)	9.17
9-12	Curb Detail	9.18
9-13	Casing Eliminators And Drain Pans	9.19
9-14	Pipe Penetrations Of Casings	9.20
9-15	Casing Access Doors – 2 in. wg. (500 Pa)	9.21
9-16	Casing Access Doors – 3-10 in. wg (750-2500 Pa)	9.23
10-1	Linear Diffuser Plenum	10.1
10-2	Dishwasher Vapor Exhaust	10.3
10-3	Typical Underslab Duct	10.5
10-4	Anchors For Duct Encasement	10.6
10-5	Security Duct Barrier Detail	10.8
10-6	Alternative Security Barrier Detail	10.9
11-1	Models For Functional Standards	11.3
11-2	Test Duct Configuration	11.4
11-3	Deflection And Leakage Measurement	11.5
11-4	Test Apparatus	11.13
11-4M	Test Apparatus	11.14
11-5	Oscillograph Traces	11.17



CHARTS

Page

4-1	Number of Short Radius Vanes	4.11
4-1M	Number of Short Radius Vanes	4.12

